

PLASMA - LED MK120

Safety Data Sheet

according to Regulation (EC) No. 1272/2008 [CLP] (REACH)

Date of issue: 01/15/2018 Revision date: 1/15/2018 Supersedes: Version 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : PLASMA - LED MK120 in color of CYAN, MAGENTA, YELLOW, BLACK AND WHITE

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Printing Ink
Use of the substance/mixture : Printing Ink

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Bordeaux Digital PrintInk Ltd.
5 Hayarkon Street
81227 Yavne - ISRAEL
T +972-8-9420398
info@c-m-y-k.com - www.c-m-y-k.com

1.4. Emergency telephone number

Emergency number : 972-8-9321800

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, H315
Category 2
Serious eye damage/eye H319
irritation, Category 2
Reproductive toxicity, H361
Category 2
Specific target organ toxicity H335
— Single exposure, Category
3, Respiratory tract irritation

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Suspected of damaging fertility, Suspected of damaging fertility. Suspected of damaging the unborn child, Suspected of damaging the unborn child (None, to our knowledge). May cause respiratory irritation. Causes skin irritation. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07



GHS08

Signal word (CLP) : Warning
Hazardous ingredients : Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide; decyl acrylate, stabilized; Octyl acrylate
Hazard statements (CLP) : H315 - Causes skin irritation
H319 - Causes serious eye irritation
H335 - May cause respiratory irritation
H361 - Suspected of damaging the unborn child, Suspected of damaging fertility, Suspected of damaging the unborn child (None known)
Precautionary statements (CLP) : P261 - Avoid breathing dust, fume, gas, mist, spray, vapours
P264 - Wash face, hands thoroughly after handling
P271 - Use only outdoors or in a well-ventilated area

PLASMA - LED MK120

Safety Data Sheet

according to Regulation (EC) No. 1272/2008 [CLP] (REACH)

P272 - Contaminated work clothing should not be allowed out of the workplace
P273 - Avoid release to the environment
P280 - Wear eye protection, face protection, protective clothing, protective gloves
P302+P352 - IF ON SKIN: Wash with plenty of Soap may be used, water
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P312 - Call a doctor, a POISON CENTER if you feel unwell
P321 - Specific treatment (see Specific treatment is necessary on this label)
P332+P313 - If skin irritation occurs: Get medical advice/attention
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention
P337+P313 - If eye irritation persists: Get medical advice/attention
P362+P364 - Take off contaminated clothing and wash it before reuse
P403+P233 - Store in a cool, dry, well-ventilated place. Keep container tightly closed
P405 - Store locked up
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1-Vinylhexahydro-2H-azepin-2-one	(CAS No) 2235-00-9 (EC no) 218-787-6	10 - 30	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Trade Secret		10 - 30	Eye Irrit. 2, H319 Skin Irrit. 2, H315
Diphenyl(2,4,6,-trimethylbenzoyl)phosphine oxide	(CAS No) 75980-60-8 (EC no) 278-355-8	10 - 30	Repr. 2, H361f Aquatic Chronic 2, H411
decyl acrylate, stabilized	(CAS No) 2156-96-9 (EC no) 218-462-9 (EC index no) 607-133-00-9	<10	Eye Irrit. 2, H319 STOT SE 3, H335 Skin Irrit. 2, H315 Aquatic Chronic 2, H411
Octyl acrylate (Note A)	(CAS No) 2499-59-4 (EC no) 219-696-4 (EC index no) 607-133-00-9	<10	Eye Irrit. 2, H319 STOT SE 3, H335 Skin Irrit. 2, H315 Aquatic Chronic 2, H411
Trade Secret		<5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

Specific concentration limits:

Name	Product identifier	Specific concentration limits
decyl acrylate, stabilized	(CAS No) 2156-96-9 (EC no) 218-462-9 (EC index no) 607-133-00-9	(C >= 10) STOT SE 3, H335
Octyl acrylate	(CAS No) 2499-59-4 (EC no) 219-696-4 (EC index no) 607-133-00-9	(C >= 10) STOT SE 3, H335

Note A : Without prejudice to Article 17(2), the name of the substance must appear on the label in the form of one of the designations given in Part 3. In Part 3, use is sometimes made of a general description such as '... compounds' or '... salts'. In this case, the supplier is required to state on the label the correct name, due account being taken of section 1.1.1.4.

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

PLASMA - LED MK120

Safety Data Sheet

according to Regulation (EC) No. 1272/2008 [CLP] (REACH)

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Irritation.

Symptoms/injuries after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically(vital functions, decontamination).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid breathing dust, fume, gas, mist, spray, vapours. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing dust, fume, gas, mist, spray, vapours. Avoid contact with skin and eyes.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Maximum storage period : 12 months

Storage temperature : 10 - 30 °C Humidity:25C-70C

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

PLASMA - LED MK120

Safety Data Sheet

according to Regulation (EC) No. 1272/2008 [CLP] (REACH)

Hand protection	: Protective gloves
Eye protection	: Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear respiratory protection
Environmental exposure controls	: Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: [COLOR]
Odour	: Acrylic resin.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: > 100 °C
Flash point	: > 94 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous polymerization

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
----------------	------------------

1-Vinylhexahydro-2H-azepin-2-one (2235-00-9)

LD50 oral rat	1400 mg/kg (Rat)
LD50 dermal rabbit	> 400 mg/kg (Rabbit)

PLASMA - LED MK120

Safety Data Sheet

according to Regulation (EC) No. 1272/2008 [CLP] (REACH)

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (75980-60-8)

LD50 oral rat	> 2000 mg/kg (Rat; Literature)
---------------	--------------------------------

decyl acrylate, stabilized (2156-96-9)

LD50 oral rat	6460 mg/kg (Rat)
LD50 dermal rabbit	5544 mg/kg (Rabbit)

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Suspected of damaging the unborn child, Suspected of damaging fertility, Suspected of damaging fertility. Suspected of damaging the unborn child (None known).
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Harmful to aquatic life with long lasting effects.
-------------------	--

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (75980-60-8)

LC50 fish 1	1 - 10 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 48 h; Oryzias latipes)
EC50 Daphnia 1	10 - 100 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna)
Threshold limit algae 1	> mg/l >10/100, EC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Algae

12.2. Persistence and degradability

1-Vinylhexahydro-2H-azepin-2-one (2235-00-9)

Persistence and degradability	Biodegradable in water. Biodegradability in soil: no data available.
-------------------------------	--

Trade Secret

Persistence and degradability	Biodegradability in water: no data available.
-------------------------------	---

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (75980-60-8)

Persistence and degradability	Not readily biodegradable in water. No (test) data on mobility of the substance available.
-------------------------------	--

12.3. Bioaccumulative potential

1-Vinylhexahydro-2H-azepin-2-one (2235-00-9)

Bioaccumulative potential	No bioaccumulation data available.
---------------------------	------------------------------------

Trade Secret

Bioaccumulative potential	No bioaccumulation data available.
---------------------------	------------------------------------

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (75980-60-8)

BCF fish 1	< 40 (BCF; OECD 305: Bioconcentration: Flow-Through Fish Test; Cyprinidae sp.)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

decyl acrylate, stabilized (2156-96-9)

Log Pow	5.15 (Estimated value)
---------	------------------------

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
-------------------------	---

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

PLASMA - LED MK120

Safety Data Sheet

according to Regulation (EC) No. 1272/2008 [CLP] (REACH)

14.1. UN number

UN-No. (ADR)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable
UN-No. (ADN)	: Not applicable
UN-No. (RID)	: Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: Not applicable
----------------------------------	------------------

IMDG

Transport hazard class(es) (IMDG)	: Not applicable
-----------------------------------	------------------

IATA

Transport hazard class(es) (IATA)	: Not applicable
-----------------------------------	------------------

ADN

Transport hazard class(es) (ADN)	: Not applicable
----------------------------------	------------------

RID

Transport hazard class(es) (RID)	: Not applicable
----------------------------------	------------------

14.4. Packing group

Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable

14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport

No data available

- Transport by sea

No data available

- Air transport

No data available

- Inland waterway transport

No data available

- Rail transport

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

PLASMA - LED MK120

Safety Data Sheet

according to Regulation (EC) No. 1272/2008 [CLP] (REACH)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions
Contains no substance on the REACH candidate list
Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information : The data are based on the current state of our best knowledge, and are intended to describe the product with regard to the requirements of safety. The data should not be taken to imply any guarantee of a particular or general specification.
It is the responsibility of the user of the product to ensure to his satisfaction that the product is suitable for the intended purpose and method to use.
We do not accept responsibility for any harm caused by the use of this information.
Furthermore nothing contained herein shall be construed as a recommendation to use any product in conflict with existing patents covering any material or its use. In all cases, our general conditions of sale apply.

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H361	Suspected of damaging fertility or the unborn child
H361f	Suspected of damaging fertility
H411	Toxic to aquatic life with long lasting effects

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product